Index

Abortion: developments and impact in South Africa: **Mhlanga RE**, 115–126
  clinical challenges, 119–121
    training, 120–121
  contents of the act, 117–119
  impact, 122–125
    training of midwives, 124–125
  legal challenges, 122
  potential solutions, 101–102
    burden of suffering, 100
    definition, 9–10, 100
    improving access, 101–102
    improving clinical care, 102
    legalization of abortion, 101
    upgrading facilities, 102
  research, 121–122
AbouZahr C *see* **De Bernis L**
AbouZahr C: Global burden of maternal death and disability, 1–11
AbouZahr C: Safe Motherhood: a brief history of the global movement 1947–2002, 13–25
Activated partial thromboplastin time (APTT), 183
Adult respiratory distress syndrome (ARDS), 207
AIDS on maternal mortality, effect of, 128–130
Anaemia and micronutrient deficiencies: **van den Broek NR**, 149–160
  and maternal mortality and morbidity, 151–153
  definitions, 149
  key points, 157
  micronutrient deficiency and anaemia, 155–156
  micronutrients and pregnancy, 153–155
    iron deficiency, 153–154
    Vitamin A deficiency, 154–155
  prevalence, 151
  screening, 150–151
Antenatal care, 90
Antihypertensive drugs
  effect on pre-eclampsia, 169
Antimalarial drugs
  currently used for prophylaxis in pregnant women, 142
Antioxidant vitamins, 167
Antiretroviral treatment, 133
Aspirin and other antiplatelet agents, 165–167
Attendance at antenatal clinics (ANC), 144, 145
Attendants at delivery, by region, 43

Beneficial forms of care, 77–78
  beneficial, 78–79
  harmful, 81
  ineffective, 81
  of unknown effectiveness, 80
  with a trade-off, 79–80
Beyond the Numbers: reviewing maternal deaths and complications to make pregnancy safer **Lewis G**, 27–37
  approaches, 33

Calcium supplementation
  effect on pre-eclampsia, 165
CEMD recommendations, 227–228
CEMD/UK 1997/99; maternal mortality, 223
Challenges for health professionals and their associations, 53–56
  women's empowerment, 53–55
Challenges for the future, 97
Chemoprophylaxis, 141–144
  on maternal and fetal outcomes, 143
Chondroitin sulphate A (CSA), 145, 146
Clinical practice, key points, 111
Cochrane library, 76, 164
Confidential Enquiries into Maternal Deaths (CEMD), 179, 221, 222, 223, 224, 225, 226, 227, 228
  psychiatric causes of death, 222
Congenital thrombophilia, 180–181
Contributions made by the programmes outside the health sector, 93–94
  educational reforms, 94
  food subsidies, 94
  food supplementation programmes, 94
  maternity benefits ordinance, 94
Cot M & Deloron P: Malaria prevention strategies, 137–148
Coulter counter, 150

British Medical Bulletin, Vol. 67 © The British Council 2003; all rights reserved

Cross-bridge cycle, 195
Current psychiatric contact, 226

De Bernis L, Sherratt DR, AbouZahr C & Van Lerberghe W: Skilled attendants for pregnancy, childbirth and postnatal care, 39–57
Deep venous thrombosis (DVT), 180, 181, 182, 183, 184
Deloron P *see* **Cot M**
Demographic and Health Surveys (DHS), 42, 43
Department of Reproductive Health and Research (RHR), 10, 33
Development of maternal health services–historical background, 86–87
Diet and exercise, 164–165
Dilation and evacuation (D&E), 105, 107
Doxycycline 105, 108
Drife J: Thromboembolism, 177–190
Duley L: Pre-eclampsia and the hypertensive disorders of pregnancy, 161–176

Eclampsia
  prevention and treatment of, 171–174
    controlling the acute convulsion and preventing recurrence of, 172–174
    preventing the onset of, 171–172
Edinburgh Postnatal Depression Scale (EPDS), 226
El Refaey H & Rodeck C: Post-partum haemorrhage: definitions, medical and surgical management. A time for change, 205–217
Empowerment of women, men, families and communities: true partners for improving maternal and newborn health: **Portela A & Santarelli C**, 59–72
  empowerment approaches, 62–69
    health education approaches, 66–69
    shared decision-making for maternal and newborn health, 63–66
  framework for working with individuals, families and communities, 60
  future directions, 69–70
  priority interventions, 60–62
Enforcement of legal enactments that necessitated registration of midwives, 90–91
Enquiries into Maternal Death, 1997–1999, 222

Family Care International (FCI), 16
Family planning (FP), 14, 17, 91, 92
Federation of Gynaecologists and Obstetricians (FIGO), 20
Fernando D, Jayatilleka A & Karunaratna V: Pregnancy–reducing maternal deaths and disability in Sri Lanka: national strategies, 85–98
Fetal and newborn morbidity, 140
Fetal heart rate (FHR), 79, 80
Field health services, 89
Five key approaches, 32–34
Fourth World Conference for Women (FWCW), 17

Global burden of maternal death and disability: **AbouZahr C**, 1–11
  causes of maternal deaths and disabilities, 4–10
  global estimates of maternal mortality, 3–4
  measurement challenges, 2–3
Grimes DA: Unsafe abortion: the silent scourge, 99–113
Gulmezoglu AM: Promoting standards for quality of maternal health care, 73–83

Hall M *see* **Pattinson RC**
Health Internetwork (HINARI), 75
Highly active antiretroviral therapy (HAART), 128–129
HIV/AIDS and pregnancy complications, 131
HIV–malaria interaction, 141
HIV-related opportunistic infections, 131–132
Hypertension/pre-eclampsia, treatment of severe, 168–170
  antihypertensive drugs, 168–170
  plasma volume expansion, 170
  timing of delivery, 170
Hypertensive disorders of pregnancy, 162–163

Importance of 'telling the story', 34–35
Improving availability of skilled attendance at birth, 90
Incomplete abortion, 123
Initiative for Maternal Mortality Programme Assessment (IMMPACT), 24
Insecticide-treated bed nets (ITBNs), 145
Institutional health facilities, 89–90
Integrated Management of Pregnancy and Childbirth (IMPAC), 36
International Classification of Diseases (ICD-10), 2, 222
International Conference on Population and Development (ICPD), 17, 117
Interval between delivery and death from pulmonary embolism, 180

Jayatilleka A *see* **Fernando D**

Karunaratna V *see* **Fernando D**

Lavender T *see* **Neilson JP**
Learning lessons is a pre-requisite for action, 36–37
Legal abortion in the first trimester: lessons learned, 102–105
  anaesthesia, 103
  ancillary measures, 104–105
  cervical priming, 103
  determinants of safety, 102–103
  pharmacological approaches, 104
  tissue inspection, 103–104
Lewis G: Beyond the Numbers: reviewing maternal deaths and complications to make pregnancy safer, 27–37
Limitations of lay referral for obstetric complications, 44–46
  lay identification of early warning signs is not feasible, 45
  primary health care alone is not sufficient, 46
Low birth weight (LBW), 137, 138, 139, 140, 141, 143, 144, 145
Low molecular weigh heparins (LMWH), 184, 185, 186, 187, 188

McIntyre JA: Mothers infected with HIV, 127–135
Magnesium sulphate
  effect on eclampsia, 171
  effect on recurrence of convulsion, 173
Making it happen–what health professionals can do, 49–53
  advocacy and action, 49
  improving quality of care, 49–50
  national commitment, 49
  research, 52–53
  skilled care for all requires increased coverage, 52
  standards are required not just for clinical care, 50–51
  team work, 51
  upgrading skills, 51–52
Malaria, 132, 138–146
  conclusions and future research, 145–146
  during pregnancy, consequences of, 138–141
  effect of malaria prevention strategies, 141–144
  high endemicity areas, 139–141
  low endemicity areas, 138
Malaria prevention strategies: **Cot M & Deloron P,** 137–148
Manual vacuum aspiration (MVA), 120, 121
Maternal and Child Health (MCH), 14, 16, 17, 86, 89, 91, 92, 93, 94, 96, 97
Maternal complications and disability, 29–30
Maternal haemorrhage, 5–6
Maternal health and maternal health services, 95
Maternal morbidity
  and mortality, 139–140
  definition of, 223–228
    clinical criteria related to a specific disease entity, 234–235
    intervention-based criteria, 235–236
    organ system dysfunction-based criteria, 236–238
  estimates by United Nations MDG regions, 4
Maternal mortality ratio (MMR), 3, 4, 18, 27, 30, 31, 85, 86, 87, 88, 89, 90, 91, 93, 94, 95, 96, 97, 128, 129, 132
Maternal suicide, 224
Medical Officer of Health (MOH), 86, 91
Mhlanga RE: Abortion: developments and impact in South Africa, 115–126

Midtrimester legal abortion: lessons learned, 105
pharmacological abortion, 105
surgical abortion, 105
Mild or moderate hypertension, treatment of, 167–168
antihypertensive agents, 168
bed rest, 167–168
Millennium Declaration, 20–21
Millennium Development Goals (MDGs), 4, 21
Mothers infected with HIV: **McIntyre JA**, 127–135
Myosin light chain kinase (MLCK), 194, 195

National Committee for the Confidential Enquiry into Maternal Deaths (NCCEMD), 118
National level strategies for reduction in maternal mortality and disability, 87–91
expansion of facilities for service provision, 89–91
Near miss analysis as a method of assessing quality of care, 238–242
Near misses: a useful adjunct to maternal death enquiries: **Pattinson RC & Hall M**, 231–243
Neilson JP, Lavender T, Quenby S & Wray S: Obstructed labour, 191–204
Non-governmental organizations (NGOs), 15, 16, 17, 68, 93
Number needed to treat (NNT), 167, 171

Oates M: Perinatal psychiatric disorders: a leading cause of maternal morbidity and mortality, 219–229
Obstetric complications and main maternal sequelae, 6
Obstructed labour: **Neilson JP, Lavender T, Quenby S & Wray S**, 191–204
consequences, 193–194
definitions, 8–9, 192
epidemiology, 193
history of the partogram, 197–200
management of prolonged labour, 200–202
operative delivery, 202
pathophysiology of uterine contractions in obstructed labour, 195–196
physiology of uterine contractions, 194–195
recognition and prevention of prolonged labour, 196–197
repair of fistulas, 202–203
Office of National Statistics (ONS), 223, 224, 225
Organization of the maternal care programme, 92–93
information system, 92–93
international organizations, 93
non-governmental organizations (NGOs), 93
private sector, 92
state sector, 92
Oxytocin for prevention of post-partum haemorrhage, 48

Partogram, 197–200
Pathogenesis of thromboembolism, 180
Pathophysiology of pre-eclampsia, 163–164
Pathways to improving standards, 74–82
access to information, 74–75
best practices in maternal health care, 77–82
facilitating behaviour change and establishing the standards, 75–77
Pattinson RC & Hall M: Near misses: a useful adjunct to maternal death enquiries, 231–243
Pedagogy of the Text (PdT), 68
Percentage contribution made by selected causes, to maternal mortality, 1930–2000, 89
Perinatal psychiatric disorders: a leading cause of maternal morbidity and mortality: **Oates M**, 219–229
Placental malaria infection, 140
Pneumocystis carinii pneumonia (PCP), 129, 131
Portela A & Santarelli C: Empowerment of women, men, families and communities: true partners for improving maternal and newborn health, 59–72
Post-partum haemorrhage (PPH), 48, 205, 206, 207, 208, 209, 210, 212, 213, 214, 215
Post-partum haemorrhage: definitions, medical and surgical management. A time for change: **El Refaey H & Rodeck C**, 205–217

introduction, definitions and classification, 205–207
misoprostol and the third stage of labour, 209–212
pharmacological treatment of post-partum haemorrhage, 212–213
scale of the problem, 207–209
surgical management of intractable post-partum haemorrhage, 213–214
Postnatal depression (PND), 220, 225, 227
Pre-eclampsia and eclampsia, 7–8
Pre-eclampsia and the hypertensive disorders of pregnancy: **Duley L**, 161–176
during pregnancy, 164–170
prevention, 164–167
effect on, 166
Pregnancy-associated malaria (PAM), 137
clinical effects of, 138
Pregnancy and HIV/AIDS progression, 130
Pregnancy, birth and the postnatal period, 39–44
clinical rationale, 41–42
skilled attendants are required to deliver known cost-effective interventions, 42
women want skilled assistance at birth, 42–44
Pregnancy–reducing maternal deaths and disability in Sri Lanka: national strategies: **Fernando D, Jayatilleka A & Karunaratna V**, 85–98
Pretoria, 241
Primary health care (PHC), 14, 15
Promoting standards for quality of maternal health care: **Gulmezoglu AM**, 73–83
Public Health Inspector (PHI), 86
Public Health Midwife (PHM), 86, 87, 90, 91
Public Health Nurse (PHN), 86, 90, 91
Pulmonary embolism (PE), 181
deaths from, 179

Quenby S *see* **Neilson JP**

Recommendations, 227
Reproductive Health Library (RHL), 42, 50, 74, 77
Risk and childbirth, 221
Rodeck C *see* **El Refaey H**

Safe Motherhood Initiative (SMI), 16, 19
Safe Motherhood: a brief history of the global movement 1947–2002: **AbouZahr C**, 13–25
needs a health system, 21–22
Santarelli C *see* **Portela A**
Sepsis, 6–7
Sherratt DR *see* **De Bernis L**
Skilled attendants for pregnancy, childbirth and postnatal care: **De Bernis L, Sherratt DR, AbouZahr C & Van Lerberghe W**, 39–57
value for money, 47–48
Skilled care is needed during pregnancy as well as at birth, 46–47
SMI Inter-Agency Group (IAG), 16
Socio-interactionist approach, 68
Special groups, 95–97
conflict-affected areas, 97
plantation sector, 96
Suicide
characteristics of maternal suicide, 223–224
detection or management?, 225–226
importance of current and past serious mental illness, 224–225
leading cause of maternal death, 223
ONS Linkage Study, 223
problems with the term 'PND', 225
protective effect of maternity?, 224
use of specialist services, 226–227

Tailoring interventions to improve standards, 76
Teamwork is crucial, 46
Termination of pregnancy (TOP), 118, 120, 121, 125
Thromboembolism: **Drife J**, 177–190
contribution to maternal mortality, 178–180
diagnosis, 181–183
definitive investigations, 182–183
screening tests, 182
symptoms and signs, 181–182
incidence, 178
pathology, 180–181
prevention, 185–188
agents for prophylaxis, 188
risk assessment and thromboprophylaxis, 186–187
timing and duration of thromboprophylaxis, 187–188

treatment, 183–185
anticoagulant therapy during labour and delivery, 185
initial treatment, 183–184
maintenance treatment of DVT or PE, 184
Timing of maternal deaths, 41
Traditional birth attendant (TBAs), 23, 42, 44, 45, 46
Training of personnel, 91
Treatment of complications, 107–110
bowel trauma, 109–110
haemorrhage, 107–108
incomplete abortion, 107
infection, 108
septic shock, 108–109
Trends in maternal mortality, 87
Tuberculosis (TB), 42, 132
Two intersecting epidemics, 127–128

UK Confidential Enquiry into Maternal Deaths (UKCEMD), 28
UNFPA, 1, 3, 15, 19, 20, 23
UNICEF, 1, 3, 14, 16, 19, 137
United Nations Convention on the Elimination of All Forms of Discrimination against Women (CEDAW), 117
Unsafe abortion, 106–107
ancillary measures, 106–107
choice of methods, 106
types of providers, 106
Unsafe abortion: the silent scourge: **Grimes DA**, 99–113
Uterine contractility after administering oral and vaginal misoprostol, 211

Van den Broek NR: Anaemia and micronutrient deficiencies, 149–160
Van Lerberghe W *see* **De Bernis L**
Variant surface antigens (VSA), 146
Venous thromboembolism in pregnancy and the puerperium, 187
Ventilation/perfusion (V/Q), 183

Websites on abortion, 110
WHO South-East Asia Region (WHO SEARO), 50
WHO, primary health care (PHC) and maternal and child health/family planning (MCH/FP), 14–15
World Health Day 1998, 19
World Health Organization (WHO), 3, 5, 8, 10, 14, 15, 19, 20, 22, 23, 24, 27, 28, 29, 30, 33, 36, 42, 47, 50, 60, 74, 77, 137, 139, 149, 150, 151, 157, 191, 196, 197, 199, 200, 209, 210, 212, 223
Wray S *see* **Neilson JP**